




Cyanlite™ TIMO LED Linear Light For T Bar Ceilings




Your ceiling,
Your designs.



Suitable for
All T24/T15
T-Bar
Ceilings





No Drilling
No Modification
No Replace original T-Bar






No influence
on original
ceiling

All patterns
are possible

No limits



Simplicity



Complexity




Seamless
Connection





120°



90°







60°



Asymmetric

Different Optics,
for
Different Applications.





UGR is important

Cyanlite Timo achieves
UGR16 and UGR19
Fully compliant to
EN 12464-1 & LG7






Tool-less
Installation

9 seconds



to install one light



Cyanlite



1 Rotary buckle



2 Finish

Tool-less
Installation

9 seconds

to install one light




24V Constant Voltage Driver

Standard Timo products utilize 24V constant voltage design, 36V/48V version is also available upon customer request.

- Cyanlite Timo LED T bar lights run as Class II luminaires on 24V DC power. Cyanlite offers 2 standard power driver options as 75W and 150W.
- With only one remote 150W driver can illuminate up to 6.25meter of product (10pcs 600mm/625mm models and 5pcs 1200mm/1250mm models)
- Multiple fixtures are easily interconnected together with factory ready quick-connectors at each end of the product.





Connection is fast and easy

10pcs 0.6m model and 5pcs 1.2m model are interconnected in one circuit.



3000K-6000K Tunable White HCL
via DMX, Bluetooth, DALI









DMX512




CASAMBI




Cyanlite TIMO LED T Grid Linear








Model	Part Number	Dimension (mm)	Power (W)	Lumen Output	Beam
OP - Opalic	TB15W060TOP	600x26x20	15	1800 lm	120°
	TB15W062TOP	625x26x20	15	1800 lm	120°
	TB30W120TOP	1200x26x20	30	3600 lm	120°
	TB30W125TOP	1250x26x20	30	3600 lm	120°




Model	Part Number	Dimension (mm)	Power (W)	Lumen Output	Beam
MP - Micro Prismatic	TB15W060TMP	600x26x20	15	1500 lm	90°
	TB15W062TMP	625x26x20	15	1500 lm	90°
	TB30W120TMP	1200x26x20	30	3000 lm	90°
	TB30W125TMP	1250x26x20	30	3000 lm	90°



Model	Part Number	Dimension (mm)	Power (W)	Lumen Output	Beam
BR - Black Reflector	TB15W060TBR	600x26x20	15	1500 lm	60°/90°
	TB15W062TBR	625x26x20	15	1500 lm	60°/90°
	TB30W120TBR	1200x26x20	30	3000 lm	60°/90°
	TB30W125TBR	1250x26x20	30	3000 lm	60°/90°



Model	Part Number	Dimension (mm)	Power (W)	Lumen Output	Beam
WR - White Reflector	TB15W060TWR	600x26x20	15	1650 lm	60°/90°
	TB15W062TWR	625x26x20	15	1650 lm	60°/90°
	TB30W120TWR	1200x26x20	30	3300 lm	60°/90°
	TB30W125TWR	1250x26x20	30	3300 lm	60°/90°



Model	Part Number	Dimension (mm)	Power (W)	Lumen Output	Beam
AS - Asymmetric	TB15W060TAS	600x26x20	15	1500 lm	120°
	TB15W062TAS	625x26x20	15	1500 lm	120°
	TB30W120TAS	1200x26x20	30	3000 lm	120°
	TB30W125TAS	1250x26x20	30	3000 lm	120°

Timo Product Matrix

Model	Part Number	Dimension (mm)	Power (W)	Lumen Output	Beam
OP - Opalic	TB15W060TOP	600x26x20	15	1800 lm	120°
	TB15W062TOP	625x26x20	15	1800 lm	120°
	TB30W120TOP	1200x26x20	30	3600 lm	120°
	TB30W125TOP	1250x26x20	30	3600 lm	120°
MP - Micro Prismatic	TB15W060TMP	600x26x20	15	1500 lm	90°
	TB15W062TMP	625x26x20	15	1500 lm	90°
	TB30W120TMP	1200x26x20	30	3000 lm	90°
	TB30W125TMP	1250x26x20	30	3000 lm	90°
BR - Black Reflector	TB15W060TBR	600x26x20	15	1500 lm	60°/90°
	TB15W062TBR	625x26x20	15	1500 lm	60°/90°
	TB30W120TBR	1200x26x20	30	3000 lm	60°/90°
	TB30W125TBR	1250x26x20	30	3000 lm	60°/90°
WR - White Reflector	TB15W060TWR	600x26x20	15	1650 lm	60°/90°
	TB15W062TWR	625x26x20	15	1650 lm	60°/90°
	TB30W120TWR	1200x26x20	30	3300 lm	60°/90°
	TB30W125TWR	1250x26x20	30	3300 lm	60°/90°
AS - Asymmetric	TB15W060TAS	600x26x20	15	1500 lm	120°
	TB15W062TAS	625x26x20	15	1500 lm	120°
	TB30W120TAS	1200x26x20	30	3000 lm	120°
	TB30W125TAS	1250x26x20	30	3000 lm	120°



>>> More **Cyanlite™** Products



Cyanlite LED Round Panel Lights




Cyanlite™



LED Lighting Products

For

- Lay-On
- Lay-In
- Cut-Out
- Clip-In
- Hook-In
- Hook-Over
- Hook-On
- Double-Hook



Ceilings

www.cyanlite.com

Thank you!

Questions are welcome!



Call us: +86 189 6463 6209
Email us: sales@cyanlite.com
Know us: www.cyanlite.com